



THIS KITE HAS BEEN A WINNING
LINE-TOUCH COMPETITION KITE !!!
(BOTH VERSIONS)

Bow 24 ¹¹/₁₆ 0.060 ø Carbon Rod 4-10 mph
0.070 ø Carbon Rod 8-15 mph

Bogenstab 62,8 cm ø 1,5 mm Kohlefaser 6-16 km/h
ø 1,8 mm Kohlefaser 13-24 km/h

upper bridle point connection points: measure 10 ¹/₂ from each end of bow !
obere Waagepunkte: messe 26,6 cm von den Enden des Bogstabes !

ideal balance point
optimaler Balancepunkt

10 ³/₁₆" - 25,8 cm

wingtip location
Flügelspitze

Segeplatte ø 1 mm Länge 13,5 cm (Kohlefaser)
carbon battens ø 0,040" length 5 ¹/₄"

lower bridle connecting point
unterer Waagepunkt

NOTE: FOR MORE ACTIVE KITE
REMOVE 25MM - 1" FROM
TAIL OF SPINE & REDRAW
THE NEW TRAILING EDGE.

SHORTER KITE IS NAMED **SLODOG**

optional straight trailing edge
optionale gerade Schleppekante

MATMAC 11/2004

SLOLONGDOG

